

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**

PCT


WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04B	A2	(11) International Publication Number: WO 97/13329
		(43) International Publication Date: 10 April 1997 (10.04.97)
(21) International Application Number: PCT/CA96/00647		(81) Designated States: AU, CA, JP, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).
(22) International Filing Date: 26 September 1996 (26.09.96)		
(30) Priority Data: 60/005,510 29 September 1995 (29.09.95) US 08/718,747 25 September 1996 (25.09.96) US		
(71) Applicant: NORTHERN TELECOM LIMITED [CA/CA]; World Trade Center of Montreal, 8th floor, 380 St. Antoine Street West, Montreal, Quebec H2Y 3Y4 (CA).		
(72) Inventors: BANNISTER, Cecil, H.; 3730 Calico Court, Col- orado Springs, CO 80918 (US). EDWARDS, Russell, A.; 12375 Abrams #721, Dallas, TX 75243 (US). GOVIN- DARAJAN, Rangaprasad; 5349 Amesbury Drive #2215, Dallas, TX 75206 (US).		
(74) Agent: JUNKIN, C., W.; Northern Telecom Limited, Patent Dept., Station "C", P.O. Box 3511, Ottawa, Ontario K1Y 4H7 (CA).		Published <i>Without international search report and to be republished upon receipt of that report.</i>

(54) Title: METHODS AND APPARATUS FOR AUTOMATING CONTACT CLOSURE



(57) Abstract

In methods and apparatus for contact closure, a predefined call closure stimulus event is detected and, in response to such detection, a call is placed to a first predefined network. When the call is answered at the first network address, the call closure stimulus event is announced, and a connection to a second predefined network address is offered. In response to acceptance of the offer, the first network address is connected to the second network address.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

- 1 -

METHODS AND APPARATUS FOR AUTOMATING CONTACT CLOSURE

Field of Invention

5 This invention relates to methods and apparatus for automating closure of contacts between parties having a shared interest in communicating with one another.

Background of Invention

10 Classified advertisements are one means for bringing together people having a shared interest in communicating with one another. Advertisers with goods or services to sell have an interest in communicating with those interested in buying those goods or services. Those
15 interested in buying goods or services read the classified ads to determine who may have the goods or services they want, and use telephone numbers or other information printed in the ads to contact sellers.

20 Traditionally, classified ads are placed in printed publications like newspapers, magazines or journals. Potential buyers must search through many ads to find those that are of potential interest. This time-consuming process must be repeated for each new edition of
25 the printed publication which, in the case of newspapers, can be daily. Ads which are repeated in sequential editions of the publication must be rescanned in each successive edition of the publication, even though the potential buyer has already determined that these ads are
30 not of interest. If the buyer fails to scan some editions of the publication, he may miss ads of potential interest. If the buyer delays in scanning some editions of the publication, the opportunity to buy may have passed before he responds. Ads purchased for an extended run may
35 continue to appear in printed publications long after the required item or service has been bought or sold. Responses to obsolete ads waste the time of both buyers and

- 2 -

sellers. Moreover, the seller cannot control the timing of calls in response to the ad.

On-line classified ads offer some advantages over
5 classified ads in printed publications. The potential
buyer can use automated search techniques to find ads of
potential interest. Although repeated searching of the
same ads is still necessary, automated searching makes this
a less tedious task. Moreover, obsolete classified ads can
10 be deleted more quickly, so that less time is wasted on
responses to lost opportunities. The use of electronic
mail for responding to on-line ads lessens the
inconvenience of responses at odd hours of the day.
Nevertheless, the potential buyer must still be vigilant to
15 ensure that opportunities to buy are not missed due to
delay.

Summary of Invention

An object of this invention is to reduce or avoid
20 some or all of the disadvantages of the known classified
ads as outlined above by providing improved methods and
apparatus for automating contact closure between parties
having a shared interest in communicating with one another.

25 The invention has a wide range of applications
beyond classified advertising, and examples of these
applications are described below.

One aspect of this invention provides a method
30 for automation of contact closure. The method comprises
the steps of:

1. automatically detecting a predefined call closure
stimulus event;
2. in response to detection of the predefined call
35 closure stimulus event, placing a call to a first
predefined network address;

- 3 -

3. in response to answering of the placed call,
automatically announcing the predefined call closure
stimulus event and offering the first predefined network
address a connection to a second predefined network
5 address; and
4. in response to acceptance of the offer, connecting the
first predefined network address to the second predefined
network address.

10 In the above method, one or both of the
predefined network addresses can be selected from a
respective list according to a current time, defined in
terms of time of day and day of week. This enables users
to arrange for calls to be directed according to their
15 usual daily movements to increase the probability of
successful contact closure.

If no network address is listed for certain times
(e.g. the middle of the night), call placement can be
20 deferred to a time for which network addresses are listed.
This enables users to control the times at which they are
called.

Further method steps can be defined to facilitate
25 contact closure when automated calls cannot be completed
when first attempted.

Another aspect of the invention provides a system
for automating contact closure. The system comprises a
30 detector for automatically detecting a predefined call
closure stimulus event, and call closure means. The call
closure means is operable to place a call to a first
predefined network address in response to detection of a
predefined call closure stimulation event, to announce the
35 predefined call closure stimulus event and offer a
connection to a second predefined network address in
response to answering of the placed call, and to connect

- 4 -

the first predefined network address to the second predefined network address in response to acceptance of the offer.

5 The call closure means may comprise a processor and a memory storing instructions for execution by the processor, the instructions comprising a call closure application.

10 The call closure means may comprise at least one telecommunications network interface for connecting the processor to a telecommunications network. The telecommunications network interface is operable to control at least one telecommunications switch of the
15 telecommunications network to establish connections between predefined network addresses.

 The contact closure stimulus event could be the matching of criteria in a first record with criteria in a
20 second record. For example, the first record could define the goods or services sought by a buyer, and the second record could define the goods or services offered by a seller. In this case, the automated method would bring the buyer into contact with the seller so that they could try
25 to arrive at mutually agreeable terms for a transaction.

 Such an automated method, as applied to classified advertising, offers many advantages over existing classified advertising practices. In particular,
30 the method automatically searches for matches between buyers' search criteria and sellers' classified ads as soon as new ads are placed or new search criteria are defined. This searching requires no effort on the part of the buyers or sellers. Both the buyers and the sellers are notified
35 of matches between search criteria and ads as soon as the buyers and sellers are available to be notified.

- 5 -

The ads can be deleted in real time to avoid time wasted by both buyers and sellers on obsolete ads. The ads can be also added in real time and will get immediate screening by potential buyers.

5

Because the sellers do not need to list their directory numbers in the ads to enable potential buyers to contact them, the sellers have greater privacy. In particular, the sellers need not reveal their location or
10 identity until the negotiation is complete.

Moreover, the utility of the automated method is not limited to buying and selling. The same advantages pertain to use of the system for employment ads, personals,
15 and other types of classified ads.

Indeed, as will be described below, the automated method and system has applications that go beyond classified advertising.

20

Brief Description of Drawings

Embodiments of the invention are described below by way of example only. Reference is made to accompanying drawings in which:

25

Figure 1 is a block schematic diagram of interconnected telecommunications networks used to provide an improved classified advertising service; and

Figures 2A, 2B and 2C define a flow chart showing steps performed by a service node of the interconnected
30 networks of Figure 1 to provide the improved classified advertising service.

Detailed Description

Figure 1 is a block schematic diagram of
35 interconnected telecommunications networks used to provide an improved automated classified advertising service.

- 6 -

A service node 100 of the interconnected networks, comprises a processor 110, and a memory 120 for storing instructions for execution by the processor 110 and data used in execution of those instructions. The memory 120 stores a commercially available Telescript™ software application 121, a buyer database 122 storing search criteria and buyer contact profiles for each of a plurality of registered buyers, a seller database 123 storing classified ads and seller contact profiles for each of a plurality of registered sellers, and a call closure software application 124. The Telescript™ software application 121 searches the classified ads stored in the seller database 123 according to the search criteria defined in the buyer database 122, detects matches between classified ads and search criteria, and informs the call closure software application 124 of any such matches.

The service node 100 further comprises a data entry interface 131 for connecting the processor 110 to a data entry terminal 200. The data entry terminal 200 may be used by an operator to make changes to the buyer database 122 and to the seller database 123. The operator is also provided with a telephone 202 which is connected to a telecommunications switch 310 of the Public Switched Telephone Network (PSTN) 300. Consequently, a seller can place a voice call to the operator on any telephone 400 connected to the PSTN 300 to place, modify or cancel an ad, or to modify a seller contact profile, the operator implementing the seller's instructions using the data entry terminal 200. Similarly, a buyer can place a voice call from the telephone 400 to define, modify or cancel search criteria, or to modify a buyer contact profile.

The service node 100 further comprises a modem pool 132 for providing a data connection between the processor 110 and the PSTN 300. Consequently, a seller

- 7 -

having a commercially available Magic Cap™ software application running on a modem-equipped Personal Computer (PC) 500 can access the service node 100 via circuit switched data services provided by the PSTN 300 to place, modify or cancel an ad, or to modify a seller contact profile. Similarly, a buyer can place a circuit switched data call from the PC 500 to define, modify or cancel search criteria, or to modify a buyer contact profile. The Telescript™ software application 121 is equipped with conventional security features which ensure that the operator of the PC 500 can only make authorized changes to the buyer database 122 and the seller database 123.

Buyers and sellers can likewise access the service node 100 from a Personal Digital Assistant (PDA) 600 running Magic Cap™ application software to place, modify or cancel an ad, to modify a seller contact profile, to define, modify or cancel search criteria, or to modify a buyer contact profile.

The service node 100 further comprises an Internet interface 133 for providing a data connection between the processor 110 and the Internet 700. Consequently, an operator of a PC 800 which is connected to the Internet 700 and running a Magic Cap™ software application can access the service node 100 to place, modify or cancel an ad, to modify a seller contact profile, to define, modify or cancel search criteria, or to modify a buyer contact profile. Note that the PC 500 can also access the service node 100 via the Internet 700, by using circuit switched data services of the PSTN 300 to connect to the Internet 700.

The service node 100 further comprises a PSTN interface 136 which is connected to a telecommunications switch 310 of the PSTN 300. The PSTN interface 136 provides Integrated Services Digital Network (ISDN),

- 8 -

Advanced Intelligent Network (AIN), or Signalling System 7 (SS7) signalling between the service node 100 and the telecommunications switch 310 enabling the service node 100 to set up calls on the PSTN 300 and to monitor the progress of those calls.

Similarly, the service node 100 also comprises a Mobile Switching Center (MSC) interface 137 which is connected to MSC 910 of a Personal Communications Network (PCN) 900, the MSC interface 137 providing signalling in the protocol used by the PCN 900 to enable the service node 100 to set up calls on the PCN 900 to a mobile terminal 920.

The PCN 900 is connected to the PSTN 300, so that the mobile terminal 920 can also be used to place a voice call to the telephone 202 to request that the operator place, modify or cancel an ad, modify a seller contact profile, define, modify or cancel search criteria, or modify a buyer contact profile. If the mobile terminal 920 is a data terminal running a Magic Cap™ software application, it can also access the service node 100 via the PSTN 300 and the modem pool 132, or via the PSTN 300, the Internet 700 and the Internet interface 133.

Figures 2A, 2B and 2C comprise a high level flow chart showing steps performed by the call closure software application 124 when the Telescript™ software application 121 detects a match between a buyer's search criteria and a seller's classified ad.

The call closure software application 124 receives a report of the match from the Telescript™ software application 121, the report including a buyer identifier and a seller identifier. The call closure software application 124 retrieves the buyer contact profile corresponding to the buyer identifier from the

- 9 -

buyer database 122. The buyer contact profile may read as follows, for example:

Buyer 14175:

	0000-0759	(214) 444-2753
5	0800-1159	(214) 444-7058
	1200-1259	(214) 444-8159
	1300-1659	(214) 444-7058
	1700-2159	(214) 225-3448
	2200-2359	(214) 444-2753

10 This contact profile indicates that the buyer wants to be contacted at his office telephone (214) 444-7058 during office hours, his mobile telephone (214) 444-8159 during his lunch break, his home telephone (214) 225-3448 after work until 10:00 PM, and his office voice mail (214) 444-
15 2753 at all other hours.

The call closure software application 124 retrieves the buyer directory number for the current time from the buyer contact profile. If there is no directory
20 number for the current time in the buyer contact profile, the buyer does not want to be disturbed at this time, so the call closure software application 124 sets a flag and waits until the next time for which the buyer contact profile lists a directory number.

25

Otherwise, the call closure software application 124 retrieves the seller contact profile corresponding to the seller identifier from the seller database 123, the seller contact profile being analogous to the buyer contact
30 profile described in detail above. The call closure software application 124 retrieves the seller directory number for the current time from the seller contact profile. If there is no directory number for the current time in the seller contact profile, the seller does not
35 want to be disturbed at this time, so the call closure software application 124 sets a flag and waits until the

- 10 -

next time for which the seller contact profile lists a directory number.

When the call closure software application 124
5 has retrieved both buyer and seller directory numbers for the current time, it originates a call to the buyer's directory number using appropriate signalling over the PSTN interface 136 or the MSC interface 137. If the call is answered at the buyer's directory number, the call closure
10 software application 124 retrieves the content of the seller's ad from the seller database 123, converts it from text to speech using a commercially available text-to-speech converter, and announces the ad content to the buyer. The call closure software application 124 then
15 offers to connect the buyer to the seller, providing an Interactive Voice Response (IVR) menu of keystrokes to the buyer.

If the buyer accepts the offer of a connection
20 with a specified keystroke, the call closure software application 124 originates a call to the seller's directory number using appropriate signalling over the PSTN interface 136 or the MSC interface 137. If the call is answered at the seller's directory number, the call closure software
25 application 124 bridges the calls to provide a direct voice connection between the buyer and the seller. The buyer and seller can then attempt to negotiate a sale.

If the call is not answered at the seller's
30 directory number, the call closure software application 124 drops the call to the seller's directory number, announces the failure to complete the connection to the buyer, and offers the buyer an IVR menu of "try again options", for example:

- 35 1. Try again in one hour,
 2. Try again in two hours,

- 11 -

3. Try again tomorrow at this time,
4. Provide directory number to enable me to complete call later; or
5. Don't try again.

5 If the buyer selects any of options 1-3, the call closure software application 124 waits the specified time and then begins again the process of attempting to connect the buyer with the seller.

10 If the buyer selects option 4, the service node 100 announces a directory number and an access code to the buyer and stores the buyer's and seller's directory numbers at a location identified with the announced directory number and access code. The buyer may dial the directory
15 number and, in response to a prompt, dial the access code at a later convenient time to reactivate the call closure offer.

If the buyer selects option 5, the call closure
20 software application 124 abandons the attempt to connect the buyer with the seller.

If the buyer does not accept the offer to complete a call to the seller, the call closure software
25 application 124 drops the call to the buyer's directory number. However, the seller may wish to know of the detected match and may wish to actively sell to the buyer. Consequently, the call closure software application 124 then originates a call to the seller's directory number
30 using appropriate signalling over the PSTN interface 136 or the MSC interface 137. If the call is answered at the seller's directory number, the call closure software application 124 retrieves the buyer search criteria from the buyer database 122, converts the search criteria from
35 text to speech using a commercially available text-to-speech converter and announces the buyer's search criteria to the seller. The call closure software application 124

- 12 -

announces that the buyer is not currently available and offers the seller an IVR menu of "try again options" as described above. If the seller elects to try again, the call closure software application 124 waits the specified
5 time and then begins again the process of attempting to connect the buyer with the seller. Otherwise, the call closure software application 124 abandons the attempt to connect the buyer with the seller.

10 If the call is not answered at the seller's directory number, neither the buyer nor the seller has been contacted about the detected match. Consequently, the call closure software application 124 drops the call to the seller's directory number and waits a predetermined length
15 of time (e.g. one hour) and then begins again the process of trying to connect the buyer to the seller.

If the call encounters voice mail at the buyer's directory number, the detected match is announced for
20 recording on the voice mail system together with a directory number and an access code that the buyer can dial to reactivate the call closure offer. The service node 100 stores the buyer's and seller's directory numbers at a location identified with the announced directory number and
25 access code. Similarly, if the call encounters voice mail at the seller's directory number, the detected match is announced for recording by the voice mail system together with a directory number and an access code that the seller can dial to reactivate the call closure offer.

30

The automated classified advertising system as described above offers many advantages over existing classified advertising practices. In particular, the system described above automatically searches for matches
35 between buyers' search criteria and sellers' classified ads as soon as new ads are placed or new search criteria are defined. This searching requires no effort on the part of

- 13 -

the buyers or sellers. Both the buyers and the sellers are notified of matches between search criteria and ads as soon as the buyers and sellers are available to be notified.

5

The user-defined contact profiles increase the probability that buyers and sellers will be able to make prompt contact with one another while minimizing the probability of calls at inconvenient times and places. The capability of routing calls to mobile terminals, further increases the probability that buyers and sellers will be able to make prompt contact with one another.

15 The ads can be deleted in real time to avoid time wasted by both buyers and sellers on obsolete ads. The ads can be also added in real time and will get immediate screening by potential buyers.

20 The content of the ads and the search criteria of the buyers can be adjusted in real time. Such adjustments may be made by buyers and sellers in response to the number and nature of contacts closed by the system to reduce or increase the number of contacts and to eliminate unproductive contacts.

25

Because the sellers do not need to list their directory numbers in the ads to enable potential buyers to contact them, the sellers have greater privacy. In particular, the sellers need not reveal their location or identity until the negotiation is complete.

30

Because the Internet extends worldwide, the system is not limited to a limited geographical area such as the circulation region of a printed newspaper.

35

Moreover, the utility of the automated classified ad system is not strictly limited to buying and selling.

- 14 -

The same advantages pertain to use of the system for employment ads, personals, and other types of classified ads.

5 The embodiments described above may be modified without departing from the principles of the invention. For example, the buyer and seller contact profiles described above could be extended to list multiple
10 directory numbers in each time interval, the directory numbers to be tried in the listed sequence until a successful connection is made. Alternatively, the multiple directory numbers in the contact profile could be tried
15 simultaneously, connections to unanswered lines being dropped when the call is answered on one line. Such contact profiles would further increase the probability
 that buyers and sellers will be able to make prompt contact with one another.

 If a voice mail system is encountered at one
20 directory number on a contact list of directory numbers to be tried in sequence, a range of voice mail options may be provided, including:

1. leave message on voice mail system and do not try further directory numbers on list;
- 25 2. do not leave message and try further directory numbers on list; and
3. leave message and try further directory numbers on list.

 Where such options are offered, the currently selected
30 option may be defined in the contact list.

 The contact profiles could also be extended to include directory numbers of terminals other than
 telephones. For example, the call closure software
35 application package 124 could be extended to format messages for pagers, data terminals, facsimile machines,
 and mobile terminals with short message reception

- 15 -

capabilities to further increase the probability that buyers and sellers will be able to make prompt contact with one another. The contact profile could include the option of always sending electronic mail announcing the match to a particular data terminal so that the buyer always has a written record of the match that can be used when making voice contact with the seller.

The contact profile could also include Internet addresses of workstations 100 equipped with software enabling them to provide voice telephony over the Internet. One such software package is available from VocalTec™ at 35 Industrial Parkway, Northvale, NJ 07647.

In cases where a short text message is sent to a mobile terminal via a short message service, the short message could include features as described in a copending application entitled Methods and Apparatus for Providing Communications to Telecommunications Terminals filed in the names of C. Bannister, P. Govindarajan, R. Edwards and B. Fink on the same date as this patent application. In particular, the short message could include numbered call closure options, for example:

1. complete offered call now;
2. do not complete offered call;
3. provide DN and access code for later completion of call.

The recipient could then send a short message comprising the number of the selected option, and the data service node 500 could provide the desired call closure activity in response to the number contained in the received short message.

In the embodiment described above, IVR technology is used to enable a called party to activate the call closure option. Alternatively, automatic speech recognition could be used or the call closure option could

- 16 -

be displayed as a icon on a touch sensitive screen, the called party activating the option by touching the icon.

5 In the embodiment described above, if the buyer refuses an offer of contact closure, a reciprocal offer is made to the seller. If this feature is objectionable to buyers it could be defeated globally. Alternatively, each buyer could be given the option of defeating such calls, option being defined in the buyer's contact profile.

10

In the embodiment described above, the buyer is offered several options if the seller is not available to receive the call. These or similar options could be offered to the buyer if the buyer refuses the offer of call closure - the buyer may simply be occupied when the offer is extended, and may wish to complete the call at a later time.

20 The data service node 100 could be linked by appropriate interfaces to multiple mobility networks using different protocols in addition to the PCN 900 illustrated in Figure 1. For example, the data service node 100 could be connected to GSM, PCS 1900, AMPS, TDMA, CDMA and CDPD networks.

25

Interfaces could be provided to permit potential buyers and sellers to browse the classified ads instead of, or in addition to having them searched automatically. Such interfaces could include market research capabilities to enable potential buyers and sellers to compile information on recent sales and current ads, for example:

- 30 1. high, low and average prices for sales of similar items in recent sales;
2. average time to sell similar items in recent sales;
- 35 3. number of similar items currently on sale; and

- 17 -

4. high, low and average prices of similar items currently on sale.

Automated auction capabilities could be provided to collect bids from potential buyers and to rank order the
5 bids for the seller.

The Telescript™ application of the data service node 100 could be programmed to search other on-line classified ad services over the Internet 700 to identify
10 other potential matches, reporting such matches to potential buyers.

Data terminals linked to the service node 100 could be installed in public establishments for access by
15 the general public to place ads, to define search criteria and to browse ads.

All of these modifications enhance the utility of the automated classified ad system and are within the scope
20 of the invention.

The embodiment described above uses Magic Cap™ software to provide a user interface. Alternative software, for example Java™, Netscape™ or other types of
25 software could be used to provide the user interface. Similarly, while Telescript™ agent software is used in the embodiment described above, the agent applications could be implemented in Java™, SmallTalk™ or alternatives.

30 The contact closure system and its method of operation has applications beyond classified advertising. For example, police seeking a criminal with certain characteristics could enter a record listing those characteristics in a centralized system. Police elsewhere
35 could enter a record listing characteristics of people in their custody. Should the system detect a match between the characteristics of a person sought and a person in

- 18 -

custody elsewhere, the system could automatically bring the police at different locations into contact so that appropriate action could be taken.

5 In another application, the system could be connected to automatic stock price monitoring systems. The system could then notify a client when certain stocks cross predefined price thresholds, offering the client an automatic connection to his or her stock broker to complete
10 a transaction.

 For each of the above applications, one or more databases must be provided to store the available and sought after characteristics, and an automatic comparison
15 application is required to compare the stored characteristics and to trigger the call closure application when a match is found. The match of stored characteristics corresponds to a match between predefined fields of specific database records.

20 The contact closure stimulus event could also be the availability of certain information. For example, a doctor could order medical tests on a patient in a hospital and ask to be automatically notified when the results are
25 available. The system could call the doctor when the lab creates a record of the results, announce the results to the doctor and offer the doctor automatic connection to relevant personnel - for example automatic connection to a lab technician so that the doctor can request clarification
30 of the results, or automatic connection to a nurse on the patient's floor if the doctor wants to order particular treatment in view of the test results.

 In this case, a database is provided to store the
35 information, and the contact closure application is constructed so as to trigger when a record of the database is changed - in particular when the desired data is added

- 19 -

to the certain predefined fields of data records stored in the database.

Other applications could also be implemented using similar functionality. For example, the contact closure stimulus event could be a detected need for service. For example, a sensor on the fuel tank of a home heating system could trigger a call to the owner when the fuel supply is low and offer the owner a connection to the fuel supplier to order more fuel. Or delay of a flight by an airline could trigger calls to all passengers having tickets for that flight, announcing the delay and offering the passengers automatic connection to a ticket agent to make alternative flight arrangements if desired.

15

The contact closure event could be receipt of a voice mail or electronic mail message. For example, receipt of a voice mail message could trigger a call to the owner of the voice mail box at a remote location, announcement of the voice mail message to the owner and an offer of a connection to the caller. A similar service could be provided for incoming electronic mail messages using automatic text to speech conversion.

20

These and numerous other applications are within the scope of the invention as claimed below.

25

- 20 -

WE CLAIM:

1. A method for automation of contact closure,
comprising:
 automatically detecting a predefined call closure
5 stimulus event;
 in response to detection of the predefined call
closure stimulus event, placing a call to a first
predefined network address;
 in response to answering of the placed call,
10 automatically announcing the predefined call closure
stimulus event and offering the first predefined network
address a connection to a second predefined network
address; and
 in response to acceptance of the offer, connecting the
15 first predefined network address to the second predefined
network address.
2. A method as defined in claim 1, further
comprising selecting at least one of the first and second
20 predefined network addresses from a respective list of
predefined network addresses according to a current time.
3. A method as defined in claim 2, wherein, if at
least one respective list contains no network address for
25 use at the current time, the step of selecting at least one
network address is deferred for an interval of time.
4. A method as defined in claim 2, wherein the
current time is defined in terms of time of day and day of
30 week.
5. A method as defined in claim 1, further
comprising, In response to failure to complete the
connection to the second network address:
35 announcing options for later attempts to complete the
connection to the second network address;

- 21 -

accepting selection of an announced option; and
repeating the call placement, connection offering and
connection completion steps at a later time selected in
accordance with the selected option.

5

6. A method as defined in claim 1, further
comprising, in response to the offer of a connection not
being accepted:

dropping the call to the first network address;
10 placing a call to the second network address;
in response to answering of the placed call,
announcing the call closure stimulus event to the second
network address;
announcing that the first network address is not
15 currently available;
announcing options for later attempts to complete a
connection to the first network address;
accepting selection of an announced option;
placing a call to the second network address at a
20 later time selected in accordance with the selected option;
in response to answering of the placed call,
automatically announcing the call closure stimulus event
and offering the second network address a connection to a
first network address; and
25 in response to acceptance of the offer, connecting
second network address to the first network address.

7. A method as defined in claim 1, further
comprising, in response to the call placed to the first
30 address not being completed:
placing a call to the second network address;
in response to answering of the placed call,
announcing the call closure stimulus event to the second
network address;
35 announcing that the first network address is not
currently available;

- 22 -

announcing options for later attempts to complete a
connection to the first network address;
accepting selection of an announced option;
placing a call to the second network address at a
5 later time selected in accordance with the selected option;
in response to answering of the placed call,
automatically announcing the call closure stimulus event
and offering the second network address a connection to a
first network address; and
10 in response to acceptance of the offer, connecting
second network address to the first network address.

8. A method as defined in claim 7, further
comprising, in response to the call placed to the second
15 network address not being completed, repeating the call
placement to the first address followed by the event
announcement step and the connection offer step at a later
time.

20 9. A method as defined in claim 5, further
comprising defeating the call placement repeating step in
response to the call closure stimulus event being negated.

10. A method as defined in claim 6, further
25 comprising defeating the step of placing a call to the
second network at a later time in response to the call
closure stimulus event being negated.

11. A method as defined in claim 7, further
30 comprising defeating the step of placing a call to the
second network at a later time in response to the call
closure stimulus event being negated

12. A method as defined in claim 8, further
35 comprising defeating the call placement repeating step in
response to the call closure stimulus event being negated.

- 23 -

13. A method as defined in claim 1, further comprising, in response to failure to complete a connection to at least one of the first and second network addresses:

5 determining an alternative network address from a respective list of predefined alternative addresses; and
 attempting a connection to the determined alternative network address.

10 14. A method as defined in claim 1, further comprising, in response to encountering voice mail at the first network address:

 announcing the call closure stimulus event to the first network address;

15 announcing a third network address and an access code to the first network address; and

 in response to a call placed to the third network address and dialling of the access code, connecting the call to the second network address.

20

15. A method as defined in claim 1, comprising tailoring a format of an announcement to a terminal connected to one of the first and second network addresses.

25 16. A method as defined in claim 1, wherein the call closure stimulus event is a match between criteria defined in first and second records.

30 17. A method as defined in claim 1, wherein the call closure stimulus event is availability of requested information.

18. A method as defined in claim 1, wherein the call closure stimulus event is a detected need for service.

35

19. A method as defined in claim 1, wherein the call closure stimulus event is receipt of a message.

- 24 -

20. An automated contact closure system, comprising:
a detector for automatically detecting a predefined
5 call closure stimulus event; and
call closure means operable to:
place a call to a first predefined network address in
response to detection of a predefined call closure
stimulation event;
10 announce the predefined call closure stimulus event
and offer a connection to a second predefined network
address in response to answering of the placed call; and
connect the first predefined network address to the
second predefined network address in response to acceptance
15 of the offer.

21. A system as defined in claim 20, wherein the call
closure means comprises a processor and a memory storing
instructions for execution by the processor, the
20 instructions comprising a call closure application.

22. A system as defined in claim 21, wherein the call
closure means comprises at least one telecommunications
network interface for connecting the processor to a
25 telecommunications network, the telecommunications network
interface being operable to control at least one
telecommunications switch of the telecommunications network
to establish connections between predefined network
addresses.

30

23. A system as defined in claim 21, wherein the
detector comprises:
at least one database for storing data records; and
means for automatically detecting matches between
35 predefined fields of the stored data records, said matches
comprising call closure stimulus events.

- 25 -

24. A system as defined in claim 21, wherein the detector comprises:

- 5 at least one database for storing data records; and
 means for automatically detecting changes to
predefined fields of the stored data records, said changes
comprising call closure stimulus events.

1 / 4




Fig. 1

2 / 4




Fig. 2A

3 / 4




Fig. 2B

4 / 4




Fig. 2C


THIS PAGE BLANK (USPTO)



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04M 3/42		A3	(11) International Publication Number: WO 97/13329
(21) International Application Number: PCT CA96/00647		(43) International Publication Date: 10 April 1997 (10.04.97)	
(22) International Filing Date: 26 September 1996 (26.09.96)		(81) Designated States: AU, CA, JP, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).	
(30) Priority Data: 60-005,510 29 September 1995 (29.09.95) US 08-718,747 25 September 1996 (25.09.96) US		Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	
(71) Applicant: NORTHERN TELECOM LIMITED (CA, CA): World Trade Center of Montreal, 8th floor, 380 St. Antoine Street West, Montreal, Quebec H2Y 3Y4 (CA).		(88) Date of publication of the international search report: 29 May 1997 (29.05.97)	
(72) Inventors: BANNISTER, Cecil, H.: 3730 Calico Court, Colorado Springs, CO 80918 (US); EDWARDS, Russell, A.: 12375 Abrams #721, Dallas, TX 75243 (US); GOVINDARAJAN, Rangaprasad: 5349 Amesbury Drive #2215, Dallas, TX 75206 (US).			
(74) Agent: JUNKIN, C. W.: Northern Telecom Limited, Patent Dept., Station "C", P.O. Box 3511, Ottawa, Ontario K1Y 4H7 (CA).			

(54) Title: METHODS AND APPARATUS FOR AUTOMATING CONTACT CLOSURE



(57) Abstract

In methods and apparatus for contact closure, a predefined call closure stimulus event is detected and, in response to such detection a call is placed to a first predefined network. When the call is answered at the first network address, the call closure stimulus event is announced, and a connection to a second predefined network address is offered. In response to acceptance of the offer the first network address is connected to the second network address.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

INTERNATIONAL SEARCH REPORT

national Application No
PCT/CA 96/00647

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 H04M3/42

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 H04M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X Y	EP 0 627 837 A (AT&T) 7 December 1994 see column 7, line 17 - line 22 see column 8, line 7 - line 22 ---	1,15-24 2,4,14
X	EP 0 435 449 A (AT&T) 3 July 1991 see column 3, line 48 - column 4, line 9 see column 5, line 22 - column 6, line 37 ---	1,5,9, 10,15, 18, 20-22,24
Y	PATENT ABSTRACTS OF JAPAN vol. 10, no. 329 (E-452), 8 November 1986 & JP 61 135269 A (FUJITSU LTD), 23 June 1986, see abstract --- -/--	2,4

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- * "A" document defining the general state of the art which is not considered to be of particular relevance
- * "E" earlier document but published on or after the international filing date
- * "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- * "O" document referring to an oral disclosure, use, exhibition or other means
- * "P" document published prior to the international filing date but later than the priority date claimed

- * "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- * "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- * "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- * "&" document member of the same patent family

Date of the actual completion of the international search

26 March 1997

Date of mailing of the international search report

09.04.97

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl.
Fax: (+ 31-70) 340-3016

Authorized officer

Vandevenne, M

INTERNATIONAL SEARCH REPORT

International Application No
PCT/CA 96/00647

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4 847 890 A (SOLOMON ET AL) 11 July 1989 see column 5, line 4 - line 47 ---	14
A	EP 0 520 215 A (ROLM SYST.) 30 December 1992 see column 7, line 15 - column 8, line 1 ---	1,18, 20-22
A	EP 0 520 483 A (SIEMENS) 30 December 1992 see column 12, line 50 - column 13, line 27 ---	1,18, 20-22
A	WO 95 00911 A (EC CORP) 5 January 1995 -----	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/CA 96/00647

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 627837 A	07-12-94	JP 7015533 A	17-01-95
EP 435449 A	03-07-91	US 4969185 A	06-11-90
		CA 2024311 C	15-02-94
		CA 2024311 A	30-06-91
		DE 69025578 D	04-04-96
		DE 69025578 T	26-09-96
		JP 3222560 A	01-10-91
US 4847890 A	11-07-89	US 4878239 A	31-10-89
EP 520215 A	30-12-92	US 5268957 A	07-12-93
EP 520483 A	30-12-92	AT 116787 T	15-01-95
		DE 59201125 D	16-02-95
		ES 2066525 T	01-03-95
WO 9500911 A	05-01-95	AU 4647693 A	17-01-95

THIS PAGE BLANK (USPTO)